

Comparison of Methods for Computing Closed-Form Expressions of Convex Combinations

Bastian Schürmann

Technische Universität München


February 8, 2017

Convex Combinations

Any point x in a convex set \mathcal{S} can be expressed as a convex combination of the extreme points $\hat{x}^{(i)}$

\Rightarrow One can find λ_i such that

- $\lambda_i \geq 0$
- $\sum_{i=1}^p \lambda_i = 1$
- $\sum_{i=1}^p \lambda_i \hat{x}^{(i)} = x$



Closed-Form Expressions of Convex Combinations

- Convex combinations are used for many applications, including the control of linear parameter-varying systems, which can be used for e.g., space ships, wind power plants, robotic systems, etc.
- In many cases it is helpful or even required to have closed-form expressions of convex combinations, e.g. for faster computation times or for safety verification
- Different approaches exist for computing such closed-form expressions, many of them specialized or restricted to certain shapes

Topic: Comparison of Methods for Computing Closed-Form Expressions of Convex Combinations

Tasks:

- Read papers about existing methods
- Implement new algorithms and/or improve existing implementations for obtaining closed-form expressions of convex combinations
- Compare the runtime and the complexity of different approaches

Questions?

Contact:

Bastian Schürmann

MI 03.07.039

bastian.schuermann@in.tum.de